



HC-550 ML
Short-Form Instructions

3 K 639 b




CRYPTOMATIC HC-550


Table of Contents

- Chart I : Basic Key Operations
- Chart II : Direct Ciphering Operation / Tape or Keyboard
- Chart III : Indirect Ciphering Operation / Memory Dump
- Chart IV : Memory Dump ON-Line or OFF-Line
- Chart V : Direct Deciphering of Tape
- Chart VI : Indirect Deciphering (via Memory)
- Chart VII : ON-Line Operation

Flow Chart Annotation










Panel of Cipher Unit




HC-550

Storage Operations



HC - 550


Doc. Nr. 3K639 b



Text Output:
 Cipher Text Copy + Cipher Text Tape


Presettings:
 Int. switch "BK Out" to "ON"-position
 Int. switch "Cont. Text" to "OFF"-position

* Note: A specially prepared tape can be useful to simplify the rundown of the ciph. procedure. However the tape must include following information: Plain leader, ADV signals, BK-bigram, Message Key, secret message and plain trailer (Example of punched tape, see handbook).




HC - 550

Text Output:



Presettings:


Int. switch "BK Out" to "ON"-position
Int. switch "Cont. Text" to "OFF"-position



CRYPTO AG

HC - 550

Doc. Nr. 3K 639 b




Plain Text Copy

Text Output:

Presettings:

Int. switch "BK Out" to "ON"-position
 Int. switch "Cont. Text" to "OFF"-position




Buzzer
 Sounds Intermittently
 (Plain Marker)

Insert Tape

Start Tape

Reading - in of Tape

Plain Leader Printed




Short "Beep" Signal Audible

Enter BK Bigram

ADV

Start Tape

*Note: Tape only stops here if BK - bi-gram not punched.
 Check Message heading.



Short "Beep" Signal Audible

Enter Message Key

ADV

Start Tape


Buzzer Silent

Whole Message in Plain Text
 Secret Message Printed Red


End of Tape

STOP

Ready to Decipher New Messages



HC - 550



* Note: Included all ADV slashes, BK-bigram and message key.




Station A (Transmitter)

See chart IV "on line"

Chiphered Message from Memory or tape prepared in local mode

Station B (Receiver)



HC-550