

United States Patent [19]

Kurihara

[11] Patent Number: Des. 282,843

[45] Date of Patent: ** Mar. 4, 1986

[54] PORTABLE ELECTRONIC COMPUTER

[75] Inventor: Masaki Kurihara, Shiojiri, Japan

[73] Assignees: Epson Corporation, Nagano;
Kabushiki Kaisha Suwa Seikosha,
Tokyo, both of Japan

[**] Term: 14 Years

[21] Appl. No.: 496,342

[22] Filed: May 19, 1983

[30] Foreign Application Priority Data

Nov. 22, 1982 [JP] Japan 57-52659
[52] U.S. Cl. D14/100; D18/7
[58] Field of Search D14/100-109,
D14/113-116; D18/1, 7; 340/365 R; 235/145
R

[56] References Cited

U.S. PATENT DOCUMENTS

D. 257,045 9/1980 Ikeda et al. D18/7

OTHER PUBLICATIONS

Epson HX-20 Computer Brochure ©1982, Computer Grid Systems Corp. Brochure ©1982, Portable Computer.

Primary Examiner—Susan J. Lucas
Attorney, Agent, or Firm—Blum, Kaplan, Friedman,
Silberman & Beran

[57]

CLAIM

The ornamental design for portable electronic computer, as shown and described.

DESCRIPTION

FIG. 1 is a right side elevational view of a portable computer showing my new design, the cover being removed from the keyboard and the legs opened to a supporting position;

FIG. 2 is a top plan view thereof taken along lines 2—2 of FIG. 1;

FIG. 3 is a front elevational view thereof taken along lines 3—3 of FIG. 1;

FIG. 4 is a left side elevational view thereof;

FIG. 5 is a rear elevational view thereof taken along lines 5—5 of FIG. 1;

FIG. 6 is a bottom plan view thereof taken along lines 6—6 of FIG. 1;

FIG. 7 is a top, front, right side perspective view thereof on a reduced scale;

FIG. 8 is a top, front, right side perspective view of the computer on a reduced scale with the cover mounted on the keyboard, the retractable handle extended and the legs folded in a closed position;

FIG. 9 is a right side elevational view thereof;

FIG. 10 is a front elevational view thereof;

FIG. 11 is a bottom plan view thereof;

FIG. 12 is a left side elevational view thereof;

FIG. 13 is a top, front, right side perspective view of the computer on a reduced scale with the cover removed from the keyboard, the handle retracted, the legs opened and the display screen opened to an operational position;

FIG. 14 is a left side elevational view thereof.




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7



FIG. 8




FIG. 9




FIG. 10




FIG. 12




FIG. 11




FIG. 13




FIG. 14

